


Achilles



ACHILLES INFLATABLE BOATS 1984

ACHILLES. YOUR BEST OVERALL VALUE IN AN INFLATABLE BOAT.

More boat for the money. That is the simple fact that has made Achilles the best-selling quality inflatable boat in America. Every year, more and more boaters are discovering the advantages of owning an inflatable boat. And when they compare the quality and price of all the inflatables on the market today, most choose Achilles.

Achilles is able to offer a better value for a number of reasons. A modern, efficient facility designed exclusively for the manufacture of inflatable boats allows Achilles to produce their boats faster and at less cost. And state-of-the-art quality control and production systems insure a high, uniform level of quality in every boat produced.

The end result is a better boat at competitive prices. Compare for yourself, you'll choose an Achilles.

A TOUGHER FABRIC.

The fabric is the most crucial factor in any inflatable boat, and you won't find any better fabric than that used on each and every Achilles boat. Achilles starts with a heavy-duty nylon core material produced to their own exact specifications. This tough base fabric is then strengthened further with two durable man-made elastomers, Hypalon and Neoprene. Instead of using a vinyl-based coating on the exterior of their boats as some other manufacturers do, Achilles uses Dupont Hypalon. Hypalon is a superior additive for resisting damage from abrasions, punctures, oil, gasoline or the weathering effects of the sun, ozone and warm salt water. And Achilles uses an industry high 80% Hypalon compound developed through years of experience and testing.

This high concentration of Hypalon is not simply coated over the exterior but actually joined to the base nylon fabric through a high pressure "calendering" method. Calendering insures a dense, even, impermeable fabric. Neoprene is calendered inside Achilles boats since

this elastomer is tear resistant, flexible and extremely airtight.

The end result is a tough, durable fabric on all Achilles boats—from the smallest dinghy to the largest work

A MORE ADVANCED TECHNOLOGY.


Achilles is on the leading edge of inflatable boat technology because research and development is an ongoing process. Our modern production facility is not restricted by older methods and equipment allowing us to introduce new products and features into the production process every year.

That is how Achilles is able to translate consumer input into new designs and features very quickly. When you buy a new Achilles, you are buying an inflatable made with the latest technology and representing the culmination of years of refinement.

EXTRA SAFETY FEATURES.

Achilles builds more standard safety features into their boats than other manufac-

ACHILLES. DESIGNED TO BE



urers. Achilles boats usually have at least one more air chamber than comparable competitors' models. All inflation valves are double-capped for extra safety. Seam tape is used inside and out on every boat, something you will not find on any of the leading competitors' boats. Heavy-duty fittings and a reinforced, wide rubbing strake for extra durability are also found on every Achilles.

At Achilles, no expense is spared in producing a safe, reliable and dependable boat.

MORE STANDARD FEATURES.

All Achilles boats come with a wide range of standard features and accessories. Achilles standard features range from the spray deflector trim on sportboats to the extra stainless steel towing "D" rings on ST dinghies. And what Achilles offers as standard equipment, some other manufacturers provide only as costly options.

All the extra features we design into our boats are based upon the needs of boaters and the many, varied uses they find for

inflatables. Compare Achilles features and accessories with those of any other inflatable and you'll appreciate the Achilles difference.

A WIDER SELECTION.

Achilles produces over 30 models of inflatables plus a full line of riverboats. So no matter what use you have planned for an inflatable, Achilles is sure to have a model that meets your needs. High performance sportboats, versatile sport dinghies, classic dinghies, rugged workboats, multi-use utility boats and durable riverboats are all part of the Achilles family.

Producing and refining so many different models often results in new design and engineering breakthroughs which benefit all Achilles boats.

A PROVEN REPUTATION.

With so many inflatable boats on the market today, choosing the right one is more complicated than ever before. Although many boats may appear similar, it takes years to develop and refine a sophisticated inflatable that will perform and last.

Achilles has a proven reputation for producing high performance boats with a low incidence of repair. Inflatables are our only business, and the expertise needed to produce quality boats took years to acquire.



A BETTER INFLATABLE.

Achilles gives you more of what you buy an inflatable for. All Achilles boats are designed to be portable and easy to use. They are convenient to store, simple to assemble and easy to launch—even without a ramp.

They use less gas than rigid hull boats because they are lighter and provide maximum performance with smaller outboards. They will not mar the hulls of larger boats and bounce off collisions with jettys or docks. Their wide beam and low center of gravity guarantee more stability than other boats, and their multiple air chambers make them virtually impossible to sink.

Inflatables are a better choice for many reasons, and Achilles makes a better inflatable.

BETTER. PROVEN TO BE BEST.



ACHILLES SPORTBOATS

The Achilles sportboat line encompasses five series representing seventeen different models. All are extremely versatile and capable of performing a variety of functions. Every Achilles sportboat comes with a quick, easy floor-board assembly and a wide range of standard features. From tenders to workboats, there's an Achilles sportboat to fill any boating need.

SR SERIES (pages 5 & 6)

With fixed bowdodgers and windshields, SR series sportboats represent our sportiest models. Designed for high performance maneuverability and stability, SR sportboats provide you with planning sportboat excitement using a smaller outboard than rigid hull boats.

SE SERIES (pages 7 & 8)

The SE-11 and SE-12 make great all round family fun boats as well as outstanding economical tenders for larger boats. They combine sportboat performance with roominess and stability which allow them to carry heavy loads of passengers and gear.

SD SERIES (pages 9 & 10)

These all purpose, open-bow sportboats are built to work hard. They are a favorite with fishermen and scuba divers because of their floor space and stability. Their removable bowdodger provides spray protection for when you're underway. Their multi-function capability also makes SD sportboats superior utility boats, tenders and runabouts.

SH SERIES (page 11)


Our SHR and SHD series are heavy duty models of our regular SR and SD sportboats. Identical in design, these boats are made with an extra strong, two-ply base fabric to allow them to perform heavy chores without sacrificing sportboat performance.

SU SERIES (page 12)

This is our ultimate, heavy-duty workboat series built to handle heavy loads even under adverse conditions. In addition to their large carrying capacities, SD workboats bring many advantages to work areas that you won't find in rigid hull boats such as being able to work and perform with smaller motors, rub up against larger boats without damaging them, maintain stability even with heavy loads, and bounce off pilings and docks without harming themselves. Their relative light weight also makes them easier to hoist and transport if necessary.




SD-140



STANDARD EQUIPMENT ON ALL SPORTBOATS

1. SR Series—Fixed Bowdodger and Windshield
SD Series—Removable Bowdodger (bright orange for safety)
For reducing bow spray. Both come with bowdodger support bar for easy installation.
2. Reinforced Rubbing Strip of extra wide, thick molded rubber for protection all around boat.
3. Combination Towing Ring and Bow Carrying Handle of solid metal. Painter Line included.
4. Two extra Towing "D" Rings on either side of bow (except on SE Series and SR-108).
5. Life lines. Easily reached from inside or outside of boat.
6. Spray Deflector Trim for reducing spray over gunwales.
7. Heavy-Duty Swivel Oar Locks and Oar Stoppers. (SR Series only except SR-156)
8. Lock-type Oarlocks, Oars and Oar Stoppers. (All SE and SD boats except SD-156)
9. Helmsman's Grip Handle for driving at high speeds.
10. Heavy-duty marine plywood sectional Floorboards with high gloss varnish (on all sportboats except SU and SH Series). SU and SH boats have fiberglass-reinforced floorboards. Both types designed for fast, easy installation.
11. Multi-purpose interior Bow Rings for securing holdalls and other items.
12. Bilge Drain. Self-bailing drain with rubber diaphragm check valve.
13. Solid Transom for strong support of high-performance outboards.
14. Aluminum pad to protect transom and prevent engine "ride-up."
15. Lifting Handles for easy carrying.
16. Extra Large Check Valves for quicker inflation and deflation. One way airtight valve for inflation, capped for double safety. Cap and valve unscrewed together for fast deflation. (SU Series workboats have recessed valves.)
17. Carrying Bag for easy stowing and storage.
18. High Compression Foot Pump.
19. Repair Kit.
20. Fuel Tank Fastener to solidly secure tanks and prevent any movement.

ACHILLES, FAST AND EASY SPORTBOAT FLOORBOARD ASSEMBLY.



- I. Achilles was the first to design the simple and quick self-locking floorboard system with support Aluminum (or wooden) stringers.
- II. Once the floorboards are placed in a partially inflated boat, the stringers are put in place and the boat inflated fully.
- III. The pressure of the inflated tubes pushes the stringers into place and locks the floorboards firmly into position. This results in a better, more rigid floor. This method is the fastest and easiest available of any inflatable.

SR SERIES SPORTBOATS



(Seats shown are optional equipment.)

Water skiing, scuba diving and fishing are only some of the uses you'll find for SR sportboats. These versatile boats make superb yacht tenders, runabouts, and all-round utility boats.

4-MAN SUPER DELUXE

SR-108

Length	10'8" (325 cm.) Inflated
Beam	4'7" (140 cm.) Inflated
Tube Diameter	15" (38 cm.)
Weight	99 lbs. (45 kg.)
Loading Capacity	990 lbs. (450 kg.)
Recommended Hp.	12 (4-20) Standard shaft engine
No. of Air Chambers	3 plus air keel
Color	● ● Red or Grey

5-MAN SUPER DELUXE

SR-124

Length	12'4" (375 cm.) Inflated
Beam	5'4" (161 cm.) Inflated
Tube Diameter	17" (43 cm.)
Weight	145 lbs. (66 kg.)
Loading Capacity	1,210 lbs. (550 kg.)
Recommended Hp.	20 (6-35) Standard shaft engine
No. of Air Chambers	4 plus air keel
Color	● ● Red or Grey

6-MAN SUPER DELUXE

SR-132

Length	13'2" (400 cm.) Inflated
Beam	5'6" (167 cm.) Inflated
Tube Diameter	17.7" (45 cm.)
Weight	187 lbs. (85 kg.)
Loading Capacity	1,430 lbs. (650 kg.)
Recommended Hp.	25 (9.9-45) Standard shaft engine
No. of Air Chambers	4 plus air keel
Color	● ● Red or Grey

6-MAN SUPER DELUXE

SR-140


Length	14'0" (425 cm.) Inflated
Beam	5'6" (167 cm.) Inflated
Tube Diameter	17.7" (45 cm.)
Weight	198 lbs. (90 kg.)
Loading Capacity	1,540 lbs. (700 kg.)
Recommended Hp.	30 (9.9-50) Standard shaft engine
No. of Air Chambers	4 plus air keel
Color	● ● Red or Grey

8-MAN SUPER DELUXE

SR-156

Length	15'6" (473 cm.) Inflated
Beam	6'3" (190 cm.) Inflated
Tube Diameter	19.7" (50 cm.)
Weight	211 lbs. (96 kg.)
Loading Capacity	2,420 lbs. (1,100 kg.)
Recommended Hp.	35 (9.9-55) Standard shaft engine
No. of Air Chambers	5 plus air keel
Color	● ● Red or Grey

**A WHOLE NEW WAY TO GO.
ANYWHERE.**



SE SERIES SPORTBOATS



SE-12

SE-11

A STYLISH, NEW, ALL-




4-MAN SUPER DELUXE
SE-11

Length	10'8" (325 cm.) Inflated
Beam	4'7" (140 cm.) Inflated
Tube Diameter	15" (38 cm.)
Weight	95 lbs. (43 kg.)
Loading Capacity	990 lbs. (450 kg.)
Recommended Hp.	12 (4-20) Standard shaft engine
No. of Air Chambers	3 plus air keel
Color	● ● ● Red, Grey or Blue

5-MAN SUPER DELUXE
SE-12

Length	12'0" (365 cm.) Inflated
Beam	5'1" (155 cm.) Inflated
Tube Diameter	15.8" (40 cm.)
Weight	115 lbs. (52 kg.)
Loading Capacity	1,100 lbs. (500 kg.)
Recommended Hp.	15 (4-25) Standard shaft engine
No. of Air Chambers	4 plus air keel
Color	● ● ● Red, Grey or Blue

Available in a brand new, eye-catching blue color (in addition to red and grey), SE sportboats are both fun and functional. Add lock-type oars and a range of optional accessories (inflatable thwarts, cushions, fold-up seats, wooden seats, etc.) to this roomy, innovative sportboat and you have an ideal tender which is also a do-everything utility boat. A bow section step guard is a unique feature of SE sportboats.



ROOMY SPORTBOATS





SD SERIES SPORTBOATS



SD-140

SD-156

FOR ANY USE.



It's difficult to imagine any boating need that tough, roomy SD sportboats can't handle. Their superior oar-lock system and optional seating accessories make them superb tenders. Their roominess, stability and durability make them rugged utility boats. And their superior performance make them exciting, planing sportboats.

5-MAN SUPER DELUXE

SD-124



Length	12'4" (375 cm.) Inflated
Beam	5'4" (161 cm.) Inflated
Tube Diameter	17" (43 cm.)
Weight	141 lbs. (64 kg.)
Loading Capacity	1,210 lbs. (550 kg.)
Recommended Hp.	20 (6-35) Standard shaft engine
No. of Air Chambers	4 plus air keel
Color	● ● Red or Grey

6-MAN SUPER DELUXE

SD-140

Length	14'0" (425 cm.) Inflated
Beam	5'6" (167 cm.) Inflated
Tube Diameter	17.7" (45 cm.)
Weight	191 lbs. (87 kg.)
Loading Capacity	1,540 lbs. (700 kg.)
Recommended Hp.	30 (9.9-50) Standard shaft engine
No. of Air Chambers	4 plus air keel
Color	● ● Red or Grey

8-MAN SUPER DELUXE

SD-156

Length	15'6" (473 cm.) Inflated
Beam	6'3" (190 cm.) Inflated
Tube Diameter	19.7" (50 cm.)
Weight	207 lbs. (94 kg.)
Loading Capacity	2,420 lbs. (1,100 kg.)
Recommended Hp.	35 (9.9-55) Standard shaft engine
No. of Air Chambers	5 plus air keel
Color	● ● Red or Grey

SH SERIES HEAVY DUTY SPORTBOATS



SHR, SHD-156

Length	15.6" (473 cm.) Inflated
Beam	6'3" (190 cm.) Inflated
Tube Diameter	19.7" (50 cm.)
Weight	295 lbs. (134 kg.)
Loading Capacity	2,420 lbs. (1,100 kg.)
Recommended Hp.	35 (9.9-55) Standard shaft engine
No. of Air Chambers	5 plus air keel
Color	● ● Red or Grey

SHR-SHD-170

Length	17.0' (518 cm.) Inflated
Beam	6'11" (210 cm.) Inflated
Tube Diameter	22.0" (55 cm.)
Weight	368 lbs. (167 kg.)
Loading Capacity	3,200 lbs. (1460 kg.)
Recommended Hp.	40 (20-65) Long shaft engine
No. of Air Chambers	5 plus air keel
Color	● ● Red or Grey



SHD-156

Keep the efficient design and double the already tough fabric of Achilles SR and SD sportboats and you have high capacity utility boats that perform with sportboat maneuverability.



ACHILLES TWO-PLY TECHNIQUE

SPORTBOAT PERFORMANCE. WORKBOAT STRENGTH.



SU SERIES WORKBOATS

SU-18



Our SU workboats are made to withstand any industrial use while still providing the advantages of an inflatable boat. Achilles uses a special two-ply technique which bonds together two layers of heavy-duty base nylon fabric prior to the protective calendaring of Hypalon outside and Neoprene inside. This two-ply technique actually makes the core fabric of these boats stronger than a single base fabric of equal thickness. And a super wide tube diameter keeps these workboats stable even under the heaviest loads. SU and SH boats come with non-slip, fiberglass-reinforced floorboards. (Extra large automatic bilge drain available as an option on SU boats.)

SU-14

Length	14'0" (425 cm.)
Beam	5'10" (178 cm.)
Tube Diameter	19" (48 cm.)
Weight	259 lbs. (117 kg.)
Loading Capacity	1,760 lbs. (800 kg.)
Recommended Hp.	30 (9.9-55) Long shaft engine
No. of Air Chambers	4 plus air keel
Color	Red or Grey

SU-16

Length	16'0" (488 cm.)
Beam	6'9" (206 cm.)
Tube Diameter	21" (53 cm.)
Weight	345 lbs. (156 kg.)
Loading Capacity	2,860 lbs. (1300 kg.)
Recommended Hp.	40 (20-75) Long shaft engine
No. of Air Chambers	5 plus air keel
Color	Red or Grey

SU-18

Length	18'0" (549 cm.)
Beam	7'3" (220 cm.)
Tube Diameter	24" (60 cm.)
Weight	411 lbs. (186 kg.)
Loading Capacity	3,960 lbs. (1,800 kg.)
Recommended Hp.	50 (25-90) Long shaft engine
No. of Air Chambers	5 plus air keel
Color	Red or Grey

OUR ULTIMATE INFLATABLE WORKBOAT



ACHILLES SPORT DINGHIES

Achilles eight sport dinghy models all combine the convenience and practicality of an inflatable dinghy with the performance of a planning sportboat. They are designed to row easily and tow smoothly. All have comfortable, deluxe inflatable seats as standard equipment for easier rowing. Our sport dinghies are compact, light in weight, and assemble in minutes. Still, they can carry big loads and are extremely stable for easy boarding on and off large boats. And, because they are inflatable, naturally they can't mar the hull of your boat. Their solid wood transom for mounting motors and tube design allow these boats to go faster than regular inflatable dinghies and to rise up on a plane, even with very small motors. Like all Achilles boats, they are made with both Hypalon and Neoprene added to their base nylon fabric.


SPD SERIES (pages 15 & 16)

A wooden floor and deeper "V" keel provide sportboat maneuverability and a softer ride for all SPD dinghies. Their open bow construction (with removable bowdodger) allows them to carry a lot of gear. The distinctive red and grey SPD-4DX can carry a load of up to 990 lbs. Their roominess and speed let you use these dinghies for a number of other uses from scuba diving and fishing to just plain exploring. They are also ideal for trailers and camping.

LS SERIES (pages 17 & 18)

More compact than the SPD Series, these tough dinghies still provide outstanding stability and high carrying capacity with their inflatable keels, wooden transom, wide beam and large tube diameter. They are also very easy to assemble. They make excellent tenders for small and medium size boats.





STANDARD EQUIPMENT ON SPORT DINGHIES

1. Open Bow Construction
(Removable Bowdodger on SPD Series only.)
2. Reinforced Molded Rubber Rubbing Strip all around boat for extra protection.
3. Towing Ring and Painter Line.
4. Easily accessible Lifelines and stainless steel "D" rings, reinforced with molded rubber.
5. Lock-type Oarlocks, Collapsible Oars and Oar Stoppers.
6. Helmsman's Grip Handle (SPD Series only).
7. Air keel for better tracking and maneuverability.
8. Heavy-duty, full length Marine Plywood Sectional Floorboards with stringers. Easily installed.
9. Bilge Drain.
10. Wooden Transom with motor pad for strong support of outboards.
11. Achilles Extra Large Check Valves for easy inflation and deflation.
12. Carrying Bag for easy transport and storage.
13. High Compression Foot Pump.
14. Wooden Seat (SPD Series only).
15. Multi-positional Inflatable Seat with Velcro fittings for easy, comfortable rowing.
16. Repair Kit.

SPD SPORT DINGHY SERIES



SPD-4DX



SPD-4FL



SPD-4AD

Our popular, classic SPD-2FL and SPD-4FL sport dinghies have been redefined to be better than ever in 1984. The new, super deluxe SPD-2AD and SPD-4AD are made with extra heavy-duty fabric for extreme rugged use. The distinctive red and grey SPD-4DX has extra heavy-duty fabric plus a larger tube diameter and wider beam for the ultimate in sport dinghy loading capacity and performance. Whichever one you choose, you are actually getting two boats in one: a roomy, durable dinghy and an exciting, planing sportboat.

2/3-MAN SPORT DINGHY

SPD-2FL

Length	8' 5" (255 cm.) Inflated
Beam	4' 5" (135 cm.) Inflated
Tube Diameter	13.8" (35 cm.)
Weight	66 lbs. (30kg.)
Loading Capacity	660 lbs. (300kg.)
Maximum Hp.	6.0 Standard shaft engine
No. of Air Chambers	2 plus air keel
Color ●	Grey

2/3-MAN SPORT DINGHY

SPD-2AD

Length	8' 5" (255 cm.) Inflated
Beam	4' 5" (135 cm.) Inflated
Tube Diameter	13.8" (35 cm.)
Weight	73 lbs. (33 kg.)
Loading Capacity	660 lbs. (300 kg.)
Maximum Hp.	6.0 Standard shaft engine
No. of Air Chambers	2 plus air keel
Color ● ●	Grey or Blue

4-MAN DELUXE SPORT DINGHY

SPD-4DX

Length	10' 2" (310 cm.) Inflated
Beam	4' 11" (150 cm.) Inflated
Tube Diameter	15.8" (40 cm.)
Weight	101 lbs. (46 kg.)
Loading Capacity	990 lbs. (450 kg.)
Maximum Hp.	9.9 Standard shaft engine
No. of Air Chambers	3 plus air keel
Color ●	Red and Grey

4-MAN SPORT DINGHY

SPD-4FL


Length	10' 2" (310 cm.) Inflated
Beam	4' 9" (145 cm.) Inflated
Tube Diameter	15.0" (38 cm.)
Weight	85 lbs. (38 kg.)
Loading Capacity	990 lbs. (450 kg.)
Maximum Hp.	8.0 Standard shaft engine
No. of Air Chambers	3 plus air keel
Color ●	Grey

4-MAN DELUXE SPORT DINGHY

SPD-4AD

Length	10' 2" (310 cm.) Inflated
Beam	4' 9" (145 cm.) Inflated
Tube Diameter	15.0" (38 cm.)
Weight	93 lbs. (42 kg.)
Loading Capacity	990 lbs. (450 kg.)
Maximum Hp.	9.9 Standard shaft engine
No. of Air Chambers	3 plus air keel
Color ● ●	Grey or Blue


**CONVENIENCE OF A DINGHY.
EXCITEMENT OF A SPORTBOAT.**



LS SPORT DINGHY SERIES



In addition to making superior tenders, these tough LS dinghies offer a number of rugged out door uses. A special green model has been developed for fishing and hunting use. Because they are so portable, these boats can be launched easily in wilderness areas where there is no easy access to the water. Their remarkable stability and roominess make them extremely functional for fishermen, hunters and campers.



3-MAN COMPACT DINGHY
LS-2

Length	7'6" (228 cm.) Inflated
Beam	4'4" (132 cm.) Inflated
Tube Diameter	13.8" (35 cm.)
Weight	55 lbs. (25 kg.)
Loading Capacity	620lbs. (280 kg.)
Maximum Hp.	3.5 Standard shaft engine
No. of Air Chambers	2 plus air keel
Color	● ● Red or Dark Green

4-MAN COMPACT DINGHY
LS-4

Length	8'6" (260 cm.) Inflated
Beam	4'8" (142 cm.) Inflated
Tube Diameter	15" (38 cm.)
Weight	69 lbs. (31 kg.)
Loading Capacity	920 lbs. (420 kg.)
Maximum Hp.	6 Standard shaft engine
No. of Air Chambers	2 plus air keel
Color	● ● Red or Dark Green

4-MAN EXTRA ROOMY DINGHY
LS-4EX

Length	10'2" (310 cm.) Inflated
Beam	4'8" (142 cm.) Inflated
Tube Diameter	15.0" (38 cm.)
Weight	77 lbs. (35 kg.)
Loading Capacity	990 lbs. (450 kg.)
Maximum Hp.	6 Standard shaft engine
No. of Air Chambers	3 plus air keel
Color	● ● Red or Dark Green

TOUGH COMPACTS THAT GO ANYWHERE.



ACHILLES DINGHIES

Achilles inflatable dinghies come with everything you really need as standard equipment. Light and compact, they assemble quickly, store in a minimum of space and can be kept inflated on the deck of your boat. Specially designed oars and oarlocks make Achilles dinghies easy to row, and our lock-type locks make it impossible to lose an oar.

With their soft sides, Achilles dinghies can't mar the hull of larger boats and they're stable enough for passengers to stand on the tube when getting on or off boats. Like all Achilles boats, every dinghy is made with high quality, heavy duty nylon coated with Hypalon outside and Neoprene inside.

ST SERIES (page 21)

These extra heavy-duty dinghies are built for really tough situations and rugged environments. Their special features include an inflatable seat in the bow section and plastic stringers to hold floorboards securely in place. The ST-4 and ST-5 also come equipped with three stainless steel towing "D" rings (the ST-2 has two).

DT SERIES (page 22)

The DT-2 and the DT-4 are our best selling dinghies. These classic light dinghies offer all the advantages of an inflatable plus the extra quality that comes with every Achilles boat. Easy to store and transport, they come with two wooden seats for both practicality and comfort in ferrying passengers from boat to harbor and for their hundreds of other uses.


LT SERIES (page 23)

Achilles LT dinghies represent the ultimate in portable boating. Remarkably light and compact they can be stored almost anywhere and transport with incredible ease. LT dinghies fold up into a compact, space saving bag which can easily be stowed in car trunks, campers, or closets. These attractive dinghies can be used by motorcyclists, bikers and even backpackers. Although they are very economical, these boats are still made with our Hypalon/Neoprene-treated nylon fabric for extra strength and durability. LT dinghies are available in basic equipment "A" package and a "D" package which includes basic equipment, motor mount and floorboards.



STANDARD EQUIPMENT ON ALL DINGHIES

1. Removable bowdodger: Reduces bow spray. Bright orange color for safety.
2. Forward Inflatable Seat: For rowing and added flotation for ST Series. DT Series has forward wooden seat.
3. Hinged Marine Plywood Floorboards for added stability. Fold up for easy storage when not in use. High gloss varnish. Plastic stringers reinforce the floor boards on ST models only.
4. Wooden Stern Seat with Velcro Fastener. Can also be used in bow section. (ST Series)
5. Lock-Type Oarlocks for easy rowing and smoother strokes. Greater maneuverability and no chance of "Oars Over Board."
6. Aluminum and Plastic Collapsible Oars. Specially made for Achilles Dinghies and Sport Dinghies.
7. Lifelines: Attached with stainless steel "D" rings fastened in thick molded rubber.
8. Oar Stoppers for additional oar support when not in use.
9. Towing Stainless Steel "D" Ring. Fastened in molded rubber with reinforced Nylon for stronger and safer towing. Painter line included. (ST-4 and ST-5 have three rings)
10. Reinforced Rubbing Strip: Extra wide, thick molded rubber for protection. Bright yellow color for safety.
11. Outboard Mounting Bracket.
12. Stern Lifting Handles for easier carrying on 4 and 5 man models only.
13. High Compression Pump and repair kit.
14. Heavy-Duty Nylon Sea Bag: for easy stowing and storage.
15. Achilles Extra Large Check Valve for quicker inflation and deflation. Capped for double safety. For quick deflation, unscrew cap and valve together. Also includes (not shown) instruction manual.



ST DINGHY SERIES



ST-4

2/3-MAN SUPER DELUXE DINGHY

ST-2

Length	8'4" (254 cm.) Inflated
Beam	4'1" (125 cm.) Inflated
Tube Diameter	11.8" (30 cm.)
Weight	70 lbs. (32 kg.)
Loading Capacity	550 lbs. (250 kg.)
Maximum Hp.	3.5 Standard shaft engine
No. of Air Chambers	2
Color ●	Grey

4-MAN SUPER DELUXE DINGHY

ST-4


Length	9'5" (287 cm.) Inflated
Beam	4'7" (140 cm.) Inflated
Tube Diameter	13.8" (35 cm.)
Weight	81 lbs. (37 kg.)
Loading Capacity	880 lbs. (400 kg.)
Maximum Hp.	4 Standard shaft engine
No. of Air Chambers	3
Color ●	Grey

5/6-MAN SUPER DELUXE DINGHY

ST-5

Length	10'4" (315 cm.) Inflated
Beam	4'9" (145 cm.) Inflated
Tube Diameter	13.8" (35 cm.)
Weight	88 lbs. (40 kg.)
Loading Capacity	990 lbs. (450 kg.)
Maximum Hp.	4 Standard shaft engine
No. of Air Chambers	3
Color ●	Grey

THE CLASSIC INFLATABLE DINGHY.



DT DINGHY SERIES



DT-4

DT-2

2/3-MAN DELUXE DINGHY

DT-2

Length	8' 4" (254 cm.) Inflated
Beam	4' 1" (125 cm.) Inflated
Tube Diameter	11.8" (30 cm.)
Weight	64 lbs. (29 kg.)
Loading Capacity	550 lbs. (250 kg.)
Maximum Hp.	3.5 Standard shaft engine
No. of Air Chambers	2
Color	● ● Red or Grey

4-MAN DELUXE DINGHY

DT-4

Length	9' 5" (287 cm.) Inflated
Beam	4' 7" (140 cm.) Inflated
Tube Diameter	13.8" (35 cm.)
Weight	77 lbs. (35 kg.)
Loading Capacity	880 lbs. (400 kg.)
Maximum Hp.	4 Standard shaft engine
No. of Air Chambers	3
Color	● ● Red or Grey

OUR POPULAR ALL PURPOSE DINGHY.



LT DINGHY SERIES

COMPACT. CONVENIENT. ECONOMICAL.



2-MAN DINGHY

LT-2 PACKAGE "D"

Length	7'1" (215 cm.) Inflated
Beam	4'0" (120 cm.) Inflated
Tube Diameter	11.8" (30 cm.)
Weight	24 lbs. (11 kg.)
Loading Capacity	530 lbs. (240 kg.)
Maximum Hp.	2 Standard shaft engine
No. of Air Chambers	2
Color ●	Red

4-MAN DINGHY

LT-4 PACKAGE "D"

Length	9'6" (290 cm.) Inflated
Beam	4'7" (140 cm.) Inflated
Tube Diameter	13.8" (35 cm.)
Weight	31 lbs. (14 kg.)
Loading Capacity	792 lbs. (360 kg.)
Maximum Hp.	4 Standard shaft engine
No. of Air Chambers	2
Color ●	Red



LT-2
PACKAGE "A"



LT-2
PACKAGE "D"

ALSO FROM ACHILLES

Achilles distributes a line of high quality liferafts. These four, six and eight-man liferafts are available with either a single or double floor and feature water ballast for superior stability in rough seas. Compact and easy to store, Achilles liferafts represent the latest technology and are of commercial grade quality. They are made of neoprene to insure airtightness and come in black with canopies of international orange.



LIFERAFTS.

Achilles makes a complete line of riverboats for both professional outfitters and individual river-runners. Combining the world's most advanced inflatable craft technology with the expertise of



top riverrunners everywhere, Achilles has produced over fifteen models of rafts which provide every edge on the river. In addition to a high concentration of Hypalon over a tough nylon fabric

base. Many additional standard features are built into every raft to add to their durability. Super strong floor, benches, reinforced seams, and specially designed reinforced "D" rings are all standard on Achilles white water rafts. We put everything into our rafts in the factory so you can get everything out of them on the river.

RIVERBOATS.

ACCESSORIES

SPORTSBOATS



OARS (SR SERIES ONLY)



LAUNCHING WHEELS



CUSHIONED WOODEN SEAT




LAUNCHING ROLLERS



WOODEN SEAT



BOW HOLDALL




STEERING SYSTEM



INFLATABLE THWART



MULTI-POSITIONAL FORMED FOLDING SEAT



FIBERGLASS-REINFORCED FLOORBOARDS WITH FORMED PLASTIC CORE
LIGHTWEIGHT AND NON-CORROSIVE. (SR, SD, 124, 140, 156 ONLY)



INFLATABLE SEAT WITH BACKREST

DINGHIES



ADDITIONAL INFLATABLE THWART (LS AND LT SERIES)



CARRY BAG FOR FLOORBOARDS

ALL BOATS



BELOW SEAT HOLDALL



DIAL PRESSURE GAUGE




REGISTRATION PLATE ATTACHMENT




PENCIL PRESSURE GAUGE



FISHING POLE HOLDER




MULTI-POSITIONAL MOLDED RUBBER FIXING POINT FOR ADDITIONAL ACCESSORIES



STAINLESS STEEL "D" RINGS (1" 1½" 2" 3") FOR FITTING EXTRA LIFELINES, LIFTING HANDLES, SLINGS, DAVIT HARNESS, ETC.

THE ACHILLES OAR SYSTEM




The unique Achilles fold-down, locking oar system is the most advanced system you'll find anywhere. The double-jointed oarlocks fold down, keeping both oarlocks and oars out of the way when not in use. And there is no chance of losing an oar with this lock-in system. Oar stoppers hold oars firmly in place no matter how fast your Achilles is moving under outboard power. This Achilles oar system is found on all models except the SR Series and the SD-156.

LIMITED WARRANTY

You will find a warranty certificate and return post registration card included with your Achilles Inflatable Craft. Please fill in the required details and send the registration card to Achilles Inflatable Craft, Division of KOHKOKU USA, Inc. within 15 days of purchase. Do not forget to mention the hull identification number of your craft.

The specifications of Achilles boats, equipment and accessories may change without notice.

All other express statutory and implied warranties, including, without limitation, all implied warranties or merchantability, are hereby disclaimed.



ACHILLES INFLATABLE CRAFT

Division of KOHKOKU USA, Inc.
390 Murray Hill Parkway, East Rutherford
New Jersey 07073 U.S.A.
Phone: (201) 438-6400, Telex: 133581 ACHILES ERFD
1407 80th Street, S.W.,
Everett, Washington 98204 U.S.A.
Phone: (206) 353-7000

Achilles

Manufacturer and Parent Company, Achilles Corporation
No. 12-10, Shintomi I-chome, Chuo-ku, Tokyo 104
Phone: (03) 552-1523, Telex: J26769 ACHILLES

© 1983 KOHKOKU USA, Inc. Printed in Japan, August, 1983

Authorized Dealer

[Empty rectangular box for authorized dealer information]